

In re: MYATT
10/690,825
June 7, 2007

AMENDMENTS TO THE CLAIMS

1. (Previously Presented) A signage retrofit fit kit for a vending machine, comprising:

a sign having a front side for forming an exterior surface of the vending machine and being visible to a customer of the vending machine and a rear side for facing the vending machine, the sign being attachable to a front portion of the vending machine and having at least one window portion through which an item located on the rear side of the sign can be viewed from the front side of the sign, the window portion being spaced apart from a product identification window of a selection panel of the vending machine and having a size greater than a size of the selection panel product identification window; and

a holder constructed and arranged to be attached solely to the rear side of the sign and supported solely by the sign, the holder also constructed and arranged to hold a remote product identifier such that the remote product identifier is viewable from the front side through the window portion of the sign, the remote product identifier also having a size greater than the size of the selection panel product identification window.

2. (Previously Presented) The signage retrofit kit of claim 1, wherein the holder comprises:

a backing plate attachable to the rear side of the sign, the remote product identifier being positionable between the sign and the backing plate.

3. (Original) The signage retrofit kit of claim 2, wherein the holder further comprises:

In re: MYATT
10/690,825
June 7, 2007

a spacing member positionable between the rear side of the sign and the backing plate to space the backing plate away from the rear side and provide a channel for retaining the remote product identifier.

4. (Original) The signage retrofit kit of claim 3, wherein the spacing member is generally u-shaped.

5. (Previously Presented) The signage retrofit kit of claim 3, wherein the backing plate and spacing member are attached to the rear side of the sign with adhesive.

6. (Original) The signage retrofit kit of claim 5, wherein the spacing member is constructed of foam and is adhesively coated on both sides to attach to both the rear side of the sign and to the backing plate.

7. (Original) The signage retrofit kit of claim 1, wherein the sign includes a plurality of window portions and the holder is in the form of a lattice having a plurality of openings and attachable to the rear side of the sign so that the plurality of openings align with the plurality of window portions.

8. (Original) The signage retrofit kit of claim 1, wherein the number of window portions is equal to the number of product selection buttons of the vending machine and a remote product

In re: MYATT
10/690,825
June 7, 2007

identifier associated with each window portion is identified with one of the product selection buttons.

9. (Original) The signage retrofit kit of claim 8, wherein a graphic identifier is associated with each window portion to visually link a remote product identifier also associated with that window portion with a corresponding graphic identifier associated with one of the product selection buttons.

10. (Original) The signage retrofit kit of claim 9, wherein graphic identifiers are selected from the group of numbers, letters and images.

11. (Original) The signage retrofit kit of claim 10, wherein the holder comprises a plurality of fasteners for attaching a plurality of remote product identifiers to the holder for viewing through the window portions.

12. (Original) The signage retrofit kit of claim 11, wherein the sign further includes at least one advertising window portion separate from the other window portions through which an advertising item located on the rear side of the sign can be viewed from the front side of the sign.

13. (Original) The signage retrofit kit of claim 1, wherein the sign further includes at least one advertising window portion separate from the other window portions through which an

In re: MYATT
10/690,825
June 7, 2007

advertising item located on the rear side of the sign can be viewed from the front side of the sign.

14. (Original) The signage retrofit kit of claim 1, wherein the window portion is a generally transparent portion of the sign.

15. (Original) The signage retrofit kit of claim 1, wherein the window portion is a cut out portion of the sign backed one at least one side of the sign by a generally transparent member attached to the sign.

16. (Original) The signage retrofit kit of claim 1, wherein the remote product identifier is positioned so as to be illuminated by existing lighting of the vending machine.

17. (Previously Presented) The signage retrofit kit of claim 1, wherein the holder accommodates a plurality of remote product identifiers, the kit further comprising:

a plurality of switches attached to the sign, each associated with a remote product identifier and operatively connectable to existing circuitry of the vending machine such that manipulation of a switch can trigger a vend cycle for a product associated with the associated remote product identifier.

In re: MYATT
10/690,825
June 7, 2007

18. (Previously Presented) The signage retrofit kit of claim 17, wherein the switches are operable to trigger a vend cycle instead of existing product selection buttons of the selection panel of the vending machine.

19. (Previously Presented) The signage retrofit kit of claim 17, wherein the switches are operable to trigger a vend cycle in addition to existing product selection buttons of the selection panel of the vending machine.

20. (Previously Presented) The signage retrofit kit of claim 17, wherein each switch is operable by touching a portion of the sign associated with the associated remote product identifier.

21. (Previously Presented) The signage retrofit kit of claim 17, wherein each switch is selected from the group of membrane switches, magnetic effect switches, Hall-effect switches and optical switches.

22. (Previously Presented) The signage retrofit kit of claim 17, wherein each switch includes an electrical connection lead for operatively connecting to the existing circuitry of the vending machine.

23. (Previously Presented) The signage retrofit kit of claim 17, wherein the sign replaces graphics associated with the selection panel of the vending machine.

In re: MYATT
10/690,825
June 7, 2007

24. (Previously Presented) The signage retrofit kit of claim 17, wherein the sign replaces graphics associated with at least one selection panel window or selection panel button of the vending machine.

25. (Previously Presented) The signage retrofit kit of claim 17, wherein the sign replaces graphics associated with a plurality of selection panel windows or selection panel buttons of the vending machine.

26. (Previously Presented) The signage retrofit kit of claim 17, wherein the sign replaces graphics associated with a plurality of selection panel windows and selection panel buttons of the vending machine.

27. (Previously Presented) The signage retrofit kit of claim 17, wherein each switch is attached to a circuit board attached to the sign.

28. (Previously Presented) The signage retrofit kit of claim 1, and further comprising at least one lighting source attached to the sign and connectable to existing vending machine circuitry to provide additional machine lighting.

In re: MYATT
10/690,825
June 7, 2007

29. (Previously Presented) The signage retrofit kit of claim 1, and further comprising at least one sound generating source attached to the sign and connectable to existing vending machine circuitry to generate additional machine sound.

30. (Previously Presented) A signage retrofit fit kit for a vending machine, comprising:

a sign having a front side visible by a customer of the vending machine and a rear side facing the vending machine, the sign being attachable to a front portion of the vending machine and having at least one window portion through which an item located on the rear side of the sign can be viewed from the front side of the sign, the window portion being spaced apart from a product identification window of a selection panel of the vending machine and having a size greater than a size of the selection panel product identification window; and

a holder constructed and arranged to be positioned on the rear side of the sign, the holder also constructed and arranged to hold a remote product identifier such that the remote product identifier is viewable from the front side through the window portion of the sign, the remote product identifier also having a size greater than the size of the selection panel product identification window;

wherein the holder comprises:

a backing plate attachable to the rear side of the sign, the remote product identifier being positionable between the sign and the backing plate;

a spacing member positionable between the rear side of the sign and the backing plate to space the backing plate away from the rear side and provide a channel for retaining the remote product identifier;

In re: MYATT
10/690,825
June 7, 2007

wherein the backing plate and spacing member are attached to the rear side of the sign with adhesive.

31. (Previously Presented) The signage retrofit kit of claim 30, wherein the spacing member is constructed of foam and is adhesively coated on both sides to attach to both the rear side of the sign and to the backing plate.

32. (Currently Amended) A signage retrofit kit for a vending machine, comprising:

a sign having a front side visible by a customer of the vending machine and a rear side facing the vending machine, the sign being attachable to a front portion of the vending machine and having a plurality of window portions through which items located on the rear side of the sign can be viewed from the front side of the sign, the window portions being spaced apart from positions of product identification windows of an original selection panel of the vending machine and having sizes greater than sizes of the original selection panel product identification windows; and

a holder constructed and arranged to be positioned on the rear side of the sign, the holder also constructed and arranged to hold at least one remote product identifier such that the remote product identifier is viewable from the front side through one of the window portions of the sign, the remote product identifier also having a size greater than the size of each of the original selection panel product identification windows;

wherein the holder comprises:

In re: MYATT
10/690,825
June 7, 2007

a backing plate attachable to the rear side of the sign, the remote product identifier being positionable between the sign and the backing plate;

a spacing member positionable between the rear side of the sign and the backing plate to space the backing plate away from the rear side and provide a channel for retaining the remote product identifier;

wherein the backing plate and spacing member are attached to the rear side of the sign with adhesive;

and further including a plurality of the remote product identifieridentifiers, each of the plurality visible to the customer through a corresponding window portion.

33. (Previously Presented) The signage retrofit kit of claim 32, wherein the spacing member is constructed of foam and is adhesively coated on both sides to attach to both the rear side of the sign and to the backing plate.

34. (Previously Presented) The signage retrofit kit of claim 32, the kit further comprising:
a plurality of switches attached to the sign, each associated with a remote product identifier and operatively connectable to existing circuitry of the vending machine such that manipulation of a switch can trigger a vend cycle for a product associated with the associated remote product identifier.